

DAVID Y. IGE  
GOVERNOR



HAKIM OUANSAFI  
EXECUTIVE DIRECTOR

**STATE OF HAWAII**  
DEPARTMENT OF HUMAN SERVICES  
HAWAII PUBLIC HOUSING AUTHORITY  
1002 NORTH SCHOOL STREET  
POST OFFICE BOX 17907  
Honolulu, Hawaii 96817

BARBARA E. ARASHIRO  
EXECUTIVE ASSISTANT  
IN REPLY PLEASE REFER TO:  
19:CPO/268

September 20, 2019

TO: Interested Parties

FROM: Rick T. Sogawa   
Procurement Officer

SUBJECT: Request-for-Proposals No. PMB-2019-06, Furnish and Deliver New Vehicles to the Hawaii Public Housing Authority on Oahu, Kauai, Maui, Molokai, and Hawaii Island; Addendum No. 4

This Addendum No. 4 is to amend the RFP as follows:

1. Section 2, IV.B.1. Minimum Specifications.d.iii.Engine, pages 31 is hereby amended as follows:
  - "Engine: ~~2.7 Liter~~ 2.3 Liter  
Four (4) Cylinder"
2. Attachment 2a – Minimum Specifications (Rev. List is hereby replaced by Attachment 2b – Minimum Specifications List (Rev. 9/20/2019). Proposals submitted using Attachment 2a may be rejected and deemed non-responsive.
3. Attachment 3 – Price Proposal Format is hereby replaced by Attachment 3a – Price Proposal Format (Rev. 9/20/19). Proposal submitted using Attached 3 may be rejected and deemed non-responsive
4. All other terms of the RFP, as amended, shall remain in full force and effect.

If you have any questions, please call contact Rick Sogawa, RFP Coordinator at (808) 832-6038. Thank you for your attention to this matter.

**MINIMUM SPECIFICATIONS LIST**

**NEW FULL SIZE PICK TRUCK – 1-TON**

Model Year: 2019 or Newer \_\_\_\_\_  
 Model: Ford F-350/450, Chevrolet Silverado 3500 or Similar \_\_\_\_\_

**1. MINIMUM SPECIFICATIONS**

a. Engine: 6.2 Liter \_\_\_\_\_  
 Eight (8) Cylinder \_\_\_\_\_

Vehicles may need to comply with the U.S. Department of Energy’s Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
 Rear Wheel Drive, with Overdrive and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: Crew Cab With Four (4) Doors, Eight (8) Foot Bed \_\_\_\_\_  
 GVWR 10,001 – 14,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes with Rear Anti Lock Brakes \_\_\_\_\_  
 Front Disc \_\_\_\_\_  
 Power Rack and Pinion Steering \_\_\_\_\_  
 Hood Open Assist Mechanisms \_\_\_\_\_

e. Wheels: LT245 Radial Tires \_\_\_\_\_  
 Full Size Spare Tire with Underframe \_\_\_\_\_

- Jack and Wheel Wrench \_\_\_\_\_
- f. Suspension: Axles, Springs, and Shock Absorbers  
Must Meet Manufacturer's and Federal  
GAWR requirements \_\_\_\_\_
- g. Interior: Five (5) Passenger Seating Capacity with  
Seat Belt Positions \_\_\_\_\_  
Cruise Control \_\_\_\_\_  
Adjustable Steering Wheel \_\_\_\_\_  
Air Conditioning \_\_\_\_\_  
AM/FM Radio \_\_\_\_\_  
Auxiliary Port \_\_\_\_\_  
Standard Vinyl Upholstery \_\_\_\_\_  
Keyless Entry \_\_\_\_\_  
Power Windows/Door Locks \_\_\_\_\_  
Standard Floor Mats \_\_\_\_\_  
Vehicle Anti-Theft System \_\_\_\_\_
- h. Safety/Security: Dual Front Air Bags (SRS) \_\_\_\_\_  
Safety Belt Pretensioners \_\_\_\_\_  
Belt Usage Sensors/Reminders \_\_\_\_\_  
Alert Chimes (Rear Parking Aid) \_\_\_\_\_  
Side Intrusion Door Beams \_\_\_\_\_  
On Board Hands Free Communication  
System \_\_\_\_\_  
Back Up Camera \_\_\_\_\_
- i. Exterior: Color: Factory White or Silver  
(White Preferred) \_\_\_\_\_  
Dual Outside Mirrors \_\_\_\_\_  
Factory Tinted Glass; All Windows \_\_\_\_\_  
Auto Headlamps \_\_\_\_\_  
Rear and Brake Lamps \_\_\_\_\_  
Tow Hitch \_\_\_\_\_  
Trailer Package w/Power Source in  
Bumper \_\_\_\_\_  
Windshield Wipers with Variable Speed \_\_\_\_\_  
Drop In Bed Liner Over Rail \_\_\_\_\_  
Metal Ladder Racks \_\_\_\_\_

- Side Mount Tool Boxes; Type – Stainless Steel or Aluminum, 72” Length x 12” Deep x 16” High \_\_\_\_\_
- j. Tailgate: 55” x 38”; Two Piece Aluminum Platform; 1500 lbs Capacity \_\_\_\_\_
- k. Other: Operator’s Manual \_\_\_\_\_  
Mileage Shall Not Exceed 500 Miles at Time of Delivery \_\_\_\_\_  
Shop Repair Manual or Owner’s Manual ~~(2-sets)~~ (1 copy) or Approved Substitute \_\_\_\_\_  
Vehicle Safety Inspection not less than 30 Days of Expiration at Time of Delivery \_\_\_\_\_  
Two (2) Sets of Keys \_\_\_\_\_  
Back Up Alarm \_\_\_\_\_  
Seven (7) Year/84,000 Miles Extended Warranty \_\_\_\_\_  
Quarterly Routine Maintenance \_\_\_\_\_

**2. OPTIONAL (Two (2) Additional Point Each)**

- On Board Navigational System \_\_\_\_\_
- Power Folding Mirrors \_\_\_\_\_
- Running Board(s) \_\_\_\_\_
- Tiptronic Automatic Transmission \_\_\_\_\_
- Spray On Bed Liner Over Rails \_\_\_\_\_
- Weather Terrain Floor Mats \_\_\_\_\_
- Engine Size, Larger than Minimum \_\_\_\_\_
- Extended Warranty, Greater than Minimum \_\_\_\_\_
- Extended Routine Maintenance, Greater than Minimum \_\_\_\_\_
- Other: \_\_\_\_\_

**NEW FULL SIZE PICK TRUCK – 3/4-TON**

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford F-250/450, Chevrolet  
 Silverado 2500, GMC  
 Sierra 2500 or Similar \_\_\_\_\_

**1. MINIMUM SPECIFICATIONS**

a. Engine: 6.2 Liter \_\_\_\_\_  
 Six (6) Cylinder \_\_\_\_\_

Vehicles may need to comply with the U.S. Department of Energy’s Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
 Rear Wheel Drive with Overdrive  
 and Tow/Haul Mode \_\_\_\_\_  
 Four (4) Wheel Drive (one (1) each for  
 Group B, Group C and Group D) \_\_\_\_\_

c. Body/Cab: Crew Cab With 4 Doors,  
 Eight (8) Foot Bed / Six (6) Foot Bed \_\_\_\_\_  
 GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
 with Rear Anti Lock Brakes \_\_\_\_\_  
 Front Disc \_\_\_\_\_  
 Power Rack and Pinion Steering \_\_\_\_\_  
 Hood Open Assist Mechanisms \_\_\_\_\_

- e.     Wheels:            LT245 Radial Tires \_\_\_\_\_  
                          Full Size Spare Tire with Underframe \_\_\_\_\_  
                          Jack and Wheel Wrench \_\_\_\_\_
  
- f.     Suspension:        Axles, Springs, and Shock Absorbers  
                          Must Meet Manufacturer's and Federal  
                          GAWR requirements \_\_\_\_\_
  
- g.     Interior:           Five (5) Passenger Seating Capacity with  
                          Seat Belt Positions \_\_\_\_\_  
                          Cruise Control \_\_\_\_\_  
                          Adjustable Steering Wheel \_\_\_\_\_  
                          Air Conditioning \_\_\_\_\_  
                          AM/FM Radio \_\_\_\_\_  
                          Auxiliary Port \_\_\_\_\_  
                          Keyless Entry \_\_\_\_\_  
                          Standard Vinyl Upholstery \_\_\_\_\_  
                          Power Windows/Door Locks \_\_\_\_\_  
                          Standard Floor Mats \_\_\_\_\_  
                          Vehicle Anti-Theft System \_\_\_\_\_
  
- h.     Safety/Security:   Dual Front Air Bags (SRS) \_\_\_\_\_  
                          Safety Belt Pretensioners \_\_\_\_\_  
                          Belt Usage Sensors/Reminders \_\_\_\_\_  
                          Alert Chimes (Rear Parking Aid) \_\_\_\_\_  
                          Side Intrusion Door Beams \_\_\_\_\_  
                          On Board Hands Free Communication  
                          System \_\_\_\_\_  
                          Back Up Camera \_\_\_\_\_
  
- i.     Exterior:           Color: Factory White or Silver  
                          (White Preferred) \_\_\_\_\_  
                          Dual Outside Mirrors \_\_\_\_\_  
                          Factory Tinted Glass; All Windows \_\_\_\_\_  
                          Auto Headlamps \_\_\_\_\_  
                          Rear and Brake Lamps \_\_\_\_\_  
                          Tow Hitch \_\_\_\_\_  
                          Trailer Package w/Power Source in  
                          Bumper \_\_\_\_\_  
                          Windshield Wipers with Variable Speed \_\_\_\_\_

Drop In Bed Liner Over Rail \_\_\_\_\_  
Metal Ladder Racks \_\_\_\_\_

Side Mount Tool Boxes; Type – Stainless  
Steel or Aluminum, 72” Length x 12”  
Deep x 16” High \_\_\_\_\_

j. Tailgate: **Powerlift**; 55” x 38”; Two Piece Aluminum  
Platform; 1500 lbs Capacity \_\_\_\_\_

k. Other: Operator’s Manual \_\_\_\_\_

Mileage Shall Not Exceed 500  
Miles at Time of Delivery \_\_\_\_\_

Shop Repair Manual (~~2-sets~~) (1 copy),  
Owner’s Manual or Approved Substitute \_\_\_\_\_

Vehicle Safety Inspection Not Less Than  
30 Days of Expiration At Time of Delivery \_\_\_\_\_

Two (2) Sets of Keys \_\_\_\_\_

Back Up Alarm \_\_\_\_\_

Seven (7) Year/84,000 Miles Extended  
Warranty \_\_\_\_\_

Quarterly Routine Maintenance \_\_\_\_\_

**2. OPTIONAL (Two (2) Additional Points Each)**

On Board Navigational System \_\_\_\_\_

Power Folding Mirrors \_\_\_\_\_

Running Board(s) \_\_\_\_\_

Tiptronic Automatic Transmission \_\_\_\_\_

Spray On Bed Liner Over Rails \_\_\_\_\_

Weather Terrain Floor Mats \_\_\_\_\_

Engine Size, Larger than Minimum \_\_\_\_\_

Extended Warranty, Greater than  
Minimum \_\_\_\_\_

Extended Routine Maintenance, Greater  
than Minimum \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

Other: \_\_\_\_\_

**NEW FULL SIZE PICK TRUCK – 1/2-TON**

Model Year: 2019 or Newer \_\_\_\_\_  
Model: Ford F-150/450, Chevrolet Silverado 1500, GMC Sierra 1500, Dodger Ram 1500, Toyota Tundra, Nissan Titan or Similar \_\_\_\_\_

**1. MINIMUM SPECIFICATIONS**

a. Engine: 3.5 Liter \_\_\_\_\_  
Six (6) Cylinder \_\_\_\_\_

All vehicles shall comply with the U.S. Department of Energy’s Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
Rear Wheel Drive, With Overdrive and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: Access Cab With Four (4) Doors, Eight (8) Foot Bed / Six (6) Foot Bed \_\_\_\_\_  
GVWR 6,001 – 10,000 \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes with Rear Anti Lock Brakes \_\_\_\_\_  
Front Disc \_\_\_\_\_  
Power Rack and Pinion Steering \_\_\_\_\_  
Hood Open Assist Mechanisms \_\_\_\_\_

- e.      **Wheels:**            LT245 Radial Tires \_\_\_\_\_  
                              Full Spare Tire with Underframe \_\_\_\_\_  
                              Jack and Wheel Wrench \_\_\_\_\_
  
- f.      **Suspension:**       Axles, Springs, and Shock Absorbers \_\_\_\_\_  
                              Must Meet Manufacturer’s and Federal \_\_\_\_\_  
                              GAWR requirements \_\_\_\_\_
  
- g.      **Interior:**           Five (5) Passenger Seating Capacity with \_\_\_\_\_  
                              Seat Belt Positions \_\_\_\_\_  
                              Cruise Control \_\_\_\_\_  
                              Adjustable Steering Wheel \_\_\_\_\_  
                              Air Conditioning \_\_\_\_\_  
                              AM/FM Radio \_\_\_\_\_  
                              Auxiliary Port \_\_\_\_\_  
                              Standard Vinyl Upholstery \_\_\_\_\_  
                              Keyless Entry \_\_\_\_\_  
                              Power Windows/Door Locks \_\_\_\_\_  
                              Standard Floor Mats \_\_\_\_\_  
                              Vehicle Anti-Theft Systems \_\_\_\_\_
  
- h.      **Safety/Security:**   Dual Front Air Bags (SRS) \_\_\_\_\_  
                              Safety Belt Pretensioners \_\_\_\_\_  
                              Belt Usage Sensors/Reminders \_\_\_\_\_  
                              Alert Chimes (Rear Parking Aid) \_\_\_\_\_  
                              Side Intrusion Door Beams \_\_\_\_\_  
                              On Board Hands Free Communication \_\_\_\_\_  
                              System \_\_\_\_\_  
                              Back Up Camera \_\_\_\_\_
  
- i.      **Exterior:**           Color: Factory White or Silver \_\_\_\_\_  
                              (White Preferred) \_\_\_\_\_  
                              Dual Outside Mirrors \_\_\_\_\_  
                              Factory Tinted Glass; All Windows \_\_\_\_\_  
                              Auto Headlamps \_\_\_\_\_  
                              Rear and Brake Lamps \_\_\_\_\_  
                              Tow Hitch \_\_\_\_\_  
                              Windshield Wipers with Variable Speed \_\_\_\_\_  
                              Drop In Bed Liner Over Rail \_\_\_\_\_

- Metal Ladder Racks \_\_\_\_\_

Side Mount Tool Boxes; Type – Stainless Steel or Aluminum, 72” Length x 12” Deep x 16” High \_\_\_\_\_
- j. Tailgate: **Powerlift**; 55” x 38”; Two Piece Aluminum Platform; 1300 lbs Capacity \_\_\_\_\_
- k. Other: Operator’s Manual \_\_\_\_\_

Mileage Shall Not Exceed 500 Miles at Time of Delivery \_\_\_\_\_

Shop Repair Manual (~~2-sets~~) (1 copy), Owner’s Manual or Approved Substitute \_\_\_\_\_

Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery \_\_\_\_\_

Two (2) Sets of Keys \_\_\_\_\_

Back Up Alarm \_\_\_\_\_

Seven (7) Year/84,000 Miles Extended Warranty \_\_\_\_\_

Quarterly Routine Maintenance \_\_\_\_\_

**2. Optional (Two (2) Additional Points Each)**

- On Board Navigational System \_\_\_\_\_
- Power Folding Mirrors \_\_\_\_\_
- Running Board(s) \_\_\_\_\_
- Tiptronic Automatic Transmission \_\_\_\_\_
- Spray On Bed Liner Over Rails \_\_\_\_\_
- Weather Terrain Floor Mats \_\_\_\_\_
- Engine Size, Larger than Minimum \_\_\_\_\_
- Extended Warranty, Greater than Minimum \_\_\_\_\_
- Extended Routine Maintenance, Greater than Minimum \_\_\_\_\_
- Other: \_\_\_\_\_

**NEW FULL SIZE PICK TRUCK – STANDARD**

Model Year: 2019 or Newer \_\_\_\_\_

Model: Ford Ranger, Chevrolet  
Colorado, Toyota Tacoma  
or Similar \_\_\_\_\_

**1. MINIMUM SPECIFICATIONS**

a. Engine: ~~2.7 Liter~~ **2.3 Liter** \_\_\_\_\_  
Four (4) Cylinder \_\_\_\_\_

All vehicles shall comply with the U.S. Department of Energy's Energy Policy Act of 1992 (EPACT) requirements for Alternative Fueled Vehicles. All vehicles shall be Alternate Fueled Vehicles (AFV) and must be designed to operate on one (1) of the following fuels:

All Gas	yes	no
Flexible fuel ratio ranging from a maximum of 85% ethanol and 15% gasoline to a 100% gasoline (E85)	yes	no
Dedicated compressed natural gas only (CNG)	yes	no
Bi-Fuel, compressed natural gas or gasoline (CNG2)	yes	no
Total Electric power from rechargeable batteries (Electric)	yes	no
Liquid Natural Gas "bi-fuel" (LNG2)	yes	no
Dedicated liquid propane only (LPG)	yes	no
Bi-Fuel liquid propane gas or Gasoline (LPG2)	yes	no

b. Transmission: Six (6)-Speed Automatic \_\_\_\_\_  
Rear Wheel Drive, with Overdrive  
and Tow/Haul Mode \_\_\_\_\_

c. Body/Cab: Access Cab With Four (4) Doors /  
Access Cab with Two (2) Doors, Six (6)  
Foot Bed \_\_\_\_\_  
GVWR 6,000 or Less \_\_\_\_\_

d. Mechanical: Power Four (4)-Wheel Disc Brakes  
With Rear Anti Lock Brakes \_\_\_\_\_  
Front Disc \_\_\_\_\_  
Power Rack and Pinion Steering \_\_\_\_\_  
Hood Open Assist Mechanisms \_\_\_\_\_

e. Wheels: LT245 Radial Tires \_\_\_\_\_  
Full Spare Tire with Underframe \_\_\_\_\_

- Jack and Wheel Wrench \_\_\_\_\_
- f. Suspension: Axles, Springs, and Shock Absorbers  
Must Meet Manufacturer's and Federal  
GAWR requirements \_\_\_\_\_
- g. Interior: Five (5) Passenger Seating Capacity with  
Seat Belt Positions on Crew Cab (Crew  
Cab with 4 Doors) **and** Two (2) Passenger  
Seating with Seat Bel Positions on Crew  
Cab (Extended Cab with 2 Doors) \_\_\_\_\_
- Cruise Control \_\_\_\_\_
- Adjustable Steering Wheel \_\_\_\_\_
- Air Conditioning \_\_\_\_\_
- AM/FM Radio \_\_\_\_\_
- Auxiliary Port \_\_\_\_\_
- Standard Vinyl Upholstery \_\_\_\_\_
- Keyless Entry \_\_\_\_\_
- Power Windows/Door Locks \_\_\_\_\_
- Standard Floor Mats \_\_\_\_\_
- Vehicle Anti-Theft System \_\_\_\_\_
- h. Safety/Security: Dual Front Air Bags (SRS) \_\_\_\_\_
- Safety Belt Pretensioners \_\_\_\_\_
- Belt Usage Sensors/Reminders \_\_\_\_\_
- Alert Chimes (Rear Parking Aid) \_\_\_\_\_
- Side Intrusion Door Beams \_\_\_\_\_
- On Board Hands Free Communication  
System \_\_\_\_\_
- Back Up Camera \_\_\_\_\_
- i. Exterior: Color: Factory White or Silver  
(White Preferred) \_\_\_\_\_
- Dual Outside Mirrors \_\_\_\_\_
- Factory Tinted Glass; All Windows \_\_\_\_\_
- Auto Headlamps \_\_\_\_\_
- Rear and Brake Lamps \_\_\_\_\_
- Tow Hitch \_\_\_\_\_
- Windshield Wipers with Variable Speed \_\_\_\_\_
- Drop In Bed Liner Over Rail \_\_\_\_\_

- j. Other: Operator’s Manual \_\_\_\_\_
- Mileage Shall Not Exceed 500 Miles at Time of Delivery \_\_\_\_\_
- Shop Repair Manual, Owner’s Manual ~~(2-sets)~~ (1 copy) Manual or Approved Substitute \_\_\_\_\_
- Vehicle Safety Inspection Not Less Than 30 Days of Expiration At Time of Delivery \_\_\_\_\_
- Two (2) Sets of Keys \_\_\_\_\_
- Back Up Alarm \_\_\_\_\_
- Seven (7) Year/84,000 Miles Extended Warranty \_\_\_\_\_
- Quarterly Routine Maintenance \_\_\_\_\_

**2. Optional (Two (2) Additional Points Each)**

- On Board Navigational System \_\_\_\_\_
- Power Folding Mirrors \_\_\_\_\_
- Running Board(s) \_\_\_\_\_
- Tiptronic Automatic Transmission \_\_\_\_\_
- Spray On Bed Liner Over Rails \_\_\_\_\_
- Weather Terrain Floor Mats \_\_\_\_\_
- Engine Size, Larger than Minimum \_\_\_\_\_
- Extended Warranty, Greater than Minimum \_\_\_\_\_
- Extended Routine Maintenance, Greater than Minimum \_\_\_\_\_
- Other: \_\_\_\_\_

**PRICE PROPOSAL FORMAT**

**GROUP A: OAHU**

**1. NEW FULL SIZE PICK TRUCK – 1-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 1-ton crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for SEVEN (7) new full size pick-up trucks – 3/4-ton with crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **7** = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for TWO (2) new full size pick-up trucks – 3/4-ton with crew cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **2** = \$ \_\_\_\_\_

**4. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for NINE (9) new full size pick-up trucks – 1/2-ton with crew access cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_ /each x **9** = \$ \_\_\_\_\_

**5. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton with crew access cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **1** = \$ \_\_\_\_\_

**6. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWELVE (12) new full size pick-up truck – Standard with crew access cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_ /each x **12** = \$ \_\_\_\_\_

**7. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ELEVEN (11) new full size pick-up truck – Standard with access cab with two (2) doors, six (6) foot bed \$ \_\_\_\_\_/each x 11 = \$ \_\_\_\_\_

**8. ROUTINE MAINTENANCE (FIVE (5) YEARS)** \$ \_\_\_\_\_/year x 5 = \$ \_\_\_\_\_

**Total Price Proposal – Group A: Oahu** \$ \_\_\_\_\_

**GROUP B: HAWAII ISLAND**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up trucks – 3/4-ton with crew cab with four (4) doors, six (6) foot bed, 4-wheel drive \$ \_\_\_\_\_/each x 1 = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton crew-cab access with four (4) doors, six (6) foot bed \$ \_\_\_\_\_/each x 1 = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for TWO (2) new full size pick-up truck – Standard with access cab with two (2) doors, six (6) foot bed \$ \_\_\_\_\_/each x 2 = \$ \_\_\_\_\_

**4. ROUTINE MAINTENANCE (FIVE (5) YEARS)** \$ \_\_\_\_\_/year x 5 = \$ \_\_\_\_\_

**Total Price Proposal – Group B: Hawaii** \$ \_\_\_\_\_

**GROUP C: KAUAI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for FOUR (4) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x 4 = \$ \_\_\_\_\_

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x 1 = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x 5 = \$ \_\_\_\_\_

**Total Price Proposal – Group C: Kauai**

**\$ \_\_\_\_\_**

**GROUP D: MAUI**

**1. NEW FULL SIZE PICK TRUCK – 3/4-TON**

Price Proposal for ONE (1) new full size pick-up truck – 3/4-ton crew cab with four (4) doors, eight (8) foot bed, 4-wheel drive

\$ \_\_\_\_\_/each x 1 = \$ \_\_\_\_\_

**2. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for FOUR (4) new full size pick-up truck – 1/2-ton crew access cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x 4 = \$ \_\_\_\_\_

**3. NEW FULL SIZE PICK TRUCK – STANDARD**

Price Proposal for ONE (1) new full size pick-up truck – Standard  
erew access cab with four (4) doors, six (6) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**4. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group D: Maui**

\$ \_\_\_\_\_

**GROUP E: MOLOKAI**

**1. NEW FULL SIZE PICK TRUCK – 1/2-TON**

Price Proposal for ONE (1) new full size pick-up truck – 1/2-ton  
erew access cab with four (4) doors, eight (8) foot bed

\$ \_\_\_\_\_/each x **1** = \$ \_\_\_\_\_

**2. ROUTINE MAINTENANCE (FIVE (5) YEARS)**

\$ \_\_\_\_\_/year x **5** = \$ \_\_\_\_\_

**Total Price Proposal – Group E: Molokai**

\$ \_\_\_\_\_

**PRICE PROPOSAL SUMMARY FORM**

Offerors will summarize their price proposal below and should be the same price(s) as listed above. Offerors are not required to submit a price proposal for all groups. **For any group not being bid, please write “no offer” in the space(s) provided.** Do not leave any item blank as it may be deemed non-responsive. Award will be made to the lowest responsible and responsive offeror for each group.

**Group A: Oahu**      \$ \_\_\_\_\_

**Group B: Hawaii**      \$ \_\_\_\_\_

**Group C: Kauai**      \$ \_\_\_\_\_

**Group D: Maui**      \$ \_\_\_\_\_

**Group E: Molokai**      \$ \_\_\_\_\_